


LED VALUE PANEL









	Model no.	EAN	W	K	lm	L x W x H	IP	Ta (°C)	VAC	
LDVAL PANEL 0306 FP 20W 830 G3 5X1 LEDV	LDVBLPANO30620W830	4058075330559	20	3000	1800	295 x 595 x 34	20	-20...+45	220-240 V	1.2 kg
LDVAL PANEL 0306 FP 20W 840 G3 5X1 LEDV	LDVBLPANO30620W840	4058075330573	20	4000	1800	295 x 595 x 34	20	-20...+45	220-240 V	1.2 kg
LDVAL PANEL 0306 FP 20W 865 G3 5X1 LEDV	LDVBLPANO30620W865	4058075330597	20	6500	1800	295 x 595 x 34	20	-20...+45	220-240 V	1.2 kg
LDVAL PANEL 0606 FP 36W 830 G3 5X1 LEDV	LDVBLPANO60636W830	4058075330610	36	3000	3240	595 x 595 x 34	20	-20...+45	220-240 V	2.0 kg
LDVAL PANEL 0606 FP 36W 840 G3 5X1 LEDV	LDVBLPANO60636W840	4058075330634	36	4000	3240	595 x 595 x 34	20	-20...+45	220-240 V	2.0 kg
LDVAL PANEL 0606 FP 36W 865 G3 5X1 LEDV	LDVBLPANO60636W865	4058075330658	36	6500	3240	595 x 595 x 34	20	-20...+45	220-240 V	2.0 kg
LDVAL PANEL 0312 FP 36W 830 G3 5X1 LEDV	LDVBLPANO31236W830	4058075330672	36	3000	3240	1195 x 295 x 34	20	-20...+45	220-240 V	2.1 kg
LDVAL PANEL 0312 FP 36W 840 G3 5X1 LEDV	LDVBLPANO31236W840	4058075330696	36	4000	3240	1195 x 295 x 34	20	-20...+45	220-240 V	2.1 kg
LDVAL PANEL 0312 FP 36W 865 G3 5X1 LEDV	LDVBLPANO31236W865	4058075330719	36	6500	3240	1195 x 295 x 34	20	-20...+45	220-240 V	2.1 kg
LDVAL PANEL 0612 FP 60W 830 G3 3X1 LEDV	LDVBLPANO61260W830	4058075379114	60	3000	5400	1195 x 595 x 34	20	-20...+45	220-240 V	3.9 kg
LDVAL PANEL 0612 FP 60W 840 G3 3X1 LEDV	LDVBLPANO61260W840	4058075379138	60	4000	5400	1195 x 595 x 34	20	-20...+45	220-240 V	3.9 kg
LDVAL PANEL 0612 FP 60W 865 G3 3X1 LEDV	LDVBLPANO61260W865	4058075379152	60	6500	5400	1195 x 595 x 34	20	-20...+45	220-240 V	3.9 kg







LEDVANCE

LED VALUE PANEL



LED VALUE PANEL



The accessories(Mounting clips and suspension kit) not included in package, please buy it separately.

WARNINGS:

- This product must be installed by a licensed electrician strictly in accordance with the current revision of AS/NZS 3000 - Electrical Installations (Australian/New Zealand Wiring Rules).
- Avoid touching the LEDs.
- Please do not attempt to disassemble or change the construction of the luminaire or replace any of the parts to avoid the possibility of injury or product failure.
- Please keep this manual for future reference.
- This product is designed for indoor use only. It is not intended for installation in wet areas or where the location is exposed to the elements.
- This luminaire is designed for ceiling installation only. Do not install on wall.
- The light source contained in this luminaire shall only be replaced by the manufacturer or service agent or a similar qualified person.
- Please note that the fixture is equipped with standard surge protection only. To protect the fixture from sags, surges, and lightning strikes, additional surge protectors must be deployed on the primary side.



WARRANTY AGAINST DEFECTS:

Your LED VALUE PANEL fitting from LEDVANCE comes with a product warranty (“Warranty”) for quality assurance, the terms and conditions of which are set out in this document. The Warranty applies exclusively to LED Light Fittings from LEDVANCE purchased within Australia and New Zealand for normal domestic or commercial use. The Warranty is offered to you by:

LEDVANCE Pty Ltd
Suite 2, 21A, 394 Lane Cove Road
Macquarie Park NSW 2113
Phone contact: 1300 467 726 or +61 2 9481 780
Email address: technical.au@ledvance.com

IMPORTANT: Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.


LEDVANCE Pty Ltd
ABN 34 050 103 181
Suite 2.1A
394 Lane Cove Road
Macquarie Park NSW 2113,
Australia
Ph +61 29481 8399/1300 467 726
www.ledvance.com.au

IEC61000-3-3, IEC62778

IP20   



TIS.1955-2551



C10449057
G11083181
2019-08-13

www.ledvance.com