

PRODUCT DATASHEET DST STICK 20 W/827 E27

OSRAM DULUXSTAR® STICK | Compact fluorescent integrated, stick shape



Areas of application

- General illumination
- Domestic applications
- Wherever compact and efficient lamps are needed
- Wherever cold light colors are needed
- Outdoor use in enclosed and ventilated luminaires only

Product benefits

- Fast return on investment
- Up to 80 % less energy consumption compared with ordinary light bulbs

Product features

- Available in 2 light colors: 827 and 865
- Also available in activating light color LUMILUX® Cool Daylight
- Average life: up to 8,000 h



TECHNICAL DATA

Electrical data

Nominal wattage	20 W
Construction wattage	20.00 W
Nominal voltage	220240 V
Nominal current	200 mA
Operating frequency	5060 Hz
Mains frequency	5060 Hz

Photometrical data

Luminous flux	1200 lm
Color temperature	2700 K
Color rendering index Ra	≥80
Light color	827

Dimensions & Weight

Overall length	161.00 mm
Diameter	49.00 mm
Product weight	80.00 g

Additional product data

	Base (standard designation)	E27
Ī	Mercury content	1.8 mg
Ī	Mercury-free	No

Country-specific categorizations

Order reference	DSTAR 20W/827 2
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E27
Length	161.00 mm
Height	49.00 mm
Width	49.00 mm

Safety advice

- In case of lamp breakage: www.ledvance.com/brokenlamp

- Not for use with external dimmers or electronic switches.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4050300926391	Folding box	52 mm x 52 mm x 164 mm	0.10 g	0.44 dm ³
4052899224209	Shipping box 12	309 mm x 108 mm x 171 mm	1348.00 g	5.71 dm ³
4008321873460	Shipping box 20	268 mm x 216 mm x 179 mm	2.11 g	10.36 dm ³
4058075011090	Shipping box 20	262 mm x 209 mm x 179 mm	2055.00 g	9.80 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.