

# PRODUCT DATASHEET CLAS P FR 60 W 230 V E14

CLASSIC P | Incandescent lamps, classic mini-ball shape



### Areas of application

- Domestic applications
- Shops, hotels and restaurants
- Meeting rooms
- Shopping centers
- Luminaires with E27 or E14 screw holders (depending on version)

### Product benefits

- Brilliant light (CL clear version)
- Reduced glare and softened shadows (FR frosted version)

### **Product features**

- Non-oxidizing aluminum base

# TECHNICAL DATA

### Electrical data

Nominal wattage	60 W
Construction wattage	60.00 W
Nominal voltage	230 V

# Photometrical data

Luminous flux	660 lm
Luminous efficacy	11 lm/W
Color temperature	2700 K
Color rendering index Ra	100
Light color	1027

# Light technical data

Starting time	0 s
---------------	-----

# Dimensions & Weight

Overall length	77.00 mm
Diameter	45,0 mm
Product weight	16.00 g

# Additional product data

Base (standard designation)	E14
Mercury content	0.0 mg
Mercury-free	Yes
Design / version	Frosted

# Country-specific categorizations

ILCOS	IBP/F-60-230-E14-45
Order reference	CLAS P FR 60W 2

# Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E14
Length	78.00 mm
Height	45,0 mm
Width	45,0 mm

# Safety advice

- Do not touch the lamp if broken.
- Must not be used if outer bulb is defective.

- Lamp to be used only in a closed luminaire.

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321411501	Folding box 1	77 mm x 46 mm x 46 mm	22.00 g	0.16 dm <sup>3</sup>
4052899351516	Bundle 10			
4008321411518	Bundle 10	101 mm x 77 mm x 233 mm	220.00 g	1.81 dm <sup>3</sup>
4058075153196	Shipping box 50	468 mm x 242 mm x 90 mm	1260.00 g	10.19 dm <sup>3</sup>
4008321411525	Shipping box 100	468 mm x 167 mm x 242 mm	2450.00 g	18.91 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.