

PRODUCT DATASHEET

CLAS P FR 25 W 230 V E27

CLASSIC P | Incandescent lamps, classic mini-ball shape



Areas of application

- Domestic applications
- Shops, hotels and restaurants
- Meeting rooms
- Shopping centers
- Luminaires with E27 or E14 screw holders (depending on version)

Product benefits

- Brilliant light (CL clear version)
- Reduced glare and softened shadows (FR frosted version)

Product features

- Non-oxidizing aluminum base

TECHNICAL DATA

Electrical data

Nominal wattage	25 W
Construction wattage	25.00 W
Nominal voltage	230 V

Photometrical data

Luminous flux	200 lm
Luminous efficacy	8 lm/W
Color rendering index Ra	100
Light color	10

Light technical data

Starting time	0 s
---------------	-----

Dimensions & Weight

Overall length	73.00 mm
Diameter	45,0 mm
Product weight	15.4 g

Additional product data

Base (standard designation)	E27
Mercury content	0.0 mg
Mercury-free	Yes
Design / version	Frosted

Country-specific categorizations

ILCOS	IBP/F-25-230-E27-45
Order reference	CLAS P FR 25W 2

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E27
Length	73.00 mm
Height	45,0 mm
Width	45,0 mm

Safety advice

- Do not touch the lamp if broken.
- Must not be used if outer bulb is defective.
- Lamp to be used only in a closed luminaire.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321411686	Folding box 1	77 mm x 46 mm x 46 mm	21.40 g	0.16 dm ³
4008321411693	Bundle 5	44 mm x 75 mm x 227 mm	122.00 g	0.75 dm ³
4052899350816	Bundle 10			
4008321411709	Shipping box 50	468 mm x 90 mm x 242 mm	1400.00 g	10.19 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.