


PRODUCT DATASHEET

LN INDV 1500 Through Wiring Kit

LINEAR IndiviLED® THROUGH-WIRING KIT | Cable and plug set for light line installation



PERFOR-
MANCE
CLASS

Product benefits

- Easy and quick electrical connection for light line installation
- Through wire connection with AC plug

Product features

- Through wiring cable kit for light lines (3 x 1.5 mm² wire with AC plug, length: 1.2 m or 1.5 m)
- Light line connection cable with AC plug
- Through wiring cable kit for DALi (2 x 0.5 mm² wire with AC plug, length: 1.2 m or 1.5 m)



TECHNICAL DATA

Dimensions & Weight

| | |
|----------------|----------|
| Length | 32.0 mm |
| Width | 20.0 mm |
| Height | 7 mm |
| Product weight | 233.00 g |
| Cable length | 1560 mm |

Materials & Colors

| | |
|---------------|--------------------|
| Product color | Yellow |
| Body material | Polycarbonate (PC) |


Application & Mounting

| | |
|--------------------------|----|
| Replaceable light source | No |
|--------------------------|----|

Certificates & Standards

| | |
|----------------|----|
| Standards | CE |
| Ball shot safe | No |

DOWNLOAD DATA

| Documents and certificates | | Document name |
|--|-------------------|------------------------------------|
|  | Legal information | Informationstext 18 Abs 4 ElektroG |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075133365 | BAG 1 | 260 mm x 140 mm x 15 mm | 244.00 g | 0.55 dm ³ |
| 4058075133372 | Bag for 2nd level 4 | | | |
| 4058075173873 | Shipping box 24 | 260 mm x 290 mm x 190 mm | 5992.00 g | 14.33 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.